



JSL 

 **JINDAL STAINLESS STEELWAY LIMITED**



... Servicing The Stainless Future

JSL Stainless Ltd.

A leader and a name synonymous with Enterprise, Excellence and Success JSL Stainless Ltd. is the flagship company of the OP JINDAL conglomerate; ISO :9001 & ISO : 14001 certified, Stainless steel producer of International standard flat products in Austenitic, Ferritic and Martenistic grades, with strong export markets in over 40 countries including US, Europe, Middle-East and South Asian regions.

Jindal Stainless Steelway Ltd.

Jindal Stainless Steelway Limited, an ISO 9001:2008 & 14001:2004 certified, the domestic JSL service network, offers convenient, customized just-in-time services to the doorsteps of its customers. The company is into the business of distribution and processing of steel, to serve its valued customers with exact Slit, Cut to Size, Polished Stainless Steel sheets, coils and blanks conforming to highest standards of processing tolerances.

Our Service Centre facilities in Gurgaon, Mumbai and Chennai are installed with state-of-the-art, high-end Precision Slitting, Cut to Length, Blanking, and Polishing lines supplied by leading equipment manufacturers such as FIMI & IMEAS of Italy and IDH & Daehwa of South Korea. Each Service Centre has a capacity of 135,000 tons per annum and in addition, Gurgaon Service Centre has a Polishing Capacity of 6,000 tons per annum.

Some of the many services offered are:

- Customized Stainless Steel Products
- Inventory Management
- Technical Value Engineering
- Warehousing
- Material Testing

A similar Service Centre will be soon be operational at Vadodara in Gujarat. In addition, a larger Service Centre will be set up in Jajpur, Orissa with the 1.6 million tons per annum integrated Stainless Steel Plant.



24 x 7 BUY

- **X**ACT STAINLESS STEEL
(Grade/Dimension/Surface Appearance)
- **IN X**ACT QUANTITIES
MT/Kgs/No. of Sheets
- **IN X**ACT SIZE & SHAPE
- **AT X**ACT TIME
- **ON X**ACT PRICES
- **FROM THE X**ACT SOURCE OF SUPPLY
- ✓ **MAKE THE X**ACT CHOICE!

ORDER YOUR STAINLESS STEEL COILS/SHEETS/CUT
BLANKS/PRE
POLISHED SHEETS/FLAT BARS FROM
JSL CHAIN OF STEEL SERVICE CENTERS

Jindal Stainless Steelway Limited



Gurgaon Plant



Mumbai Plant



Chennai Plant



Infrastructure

Jindal Stainless Steelway Ltd. Is the largest stainless steel service center in India, which services customers with different grades of stainless steel in tailor, made forms, on just in time basis.



The company is equipped with the latest, technologically advanced Slitting, Cut - to - Length & Surface Polishing Lines (No.4, Scotch Brite, Mirror Finish, Anti Finger Finish & Embossing) from the best international equipments suppliers Like FIMI & IMEAS of Italy and DAEHWA of Korea.



Processing Capabilities

Services Offered

Cutting, processing and distribution of all types of Stainless Steel by adding value to them.

		Slitting			WCTL			NCTL	Polishing (Scotch Brite)
		Gurgaon	Mumbai	Chennai	Gurgaon	Mumbai	Chennai	Gurgaon	Gurgaon
Line Make		Fimi, Italy	Daehwa, Korea	IDH, Korea	Fimi, Italy	Daehwa, Korea	Arena IDH, Korea	Machines, India	Imeas, Italy
Material Specifications									
Material – Stainless Steel, All major series – 200, 300, 400									
450-950									
Tensile Strength	N/mm2								
Thickness	mm	0.3 – 3.0	0.3 – 3.0	0.3 – 3.0	0.4 – 3.0	0.4 – 3.0	0.4 – 3.0	0.3 – 3.0	0.4 – 4.0
Input Coil Specifications									
Max. Coil Weight	MT	25	35	22	20	35	22	5	-
Min. Strip Width	mm	400	400	400	400	400	400	100	400
Max. Strip Width	mm	1550	1550	1600	1550	1550	1600	500	1600
Coil ID	mm	508, 610	508, 610	508, 610	508, 610	508, 610	508, 610	508	-
Coil OD	mm	900 - 1800	800 – 2200	800 – 2200	900 - 1800	800 – 2200	800 – 2200	-	-
Input Sheet Length	mm	-	-	-	-	-	-	-	1000-4000
Input Surface Finish		-	-	-	-	-	-	-	2B or BA
Output Coil Specifications					Output Sheet Specifications				
Slit Coil Width	mm	50 - 1550	50 – 1550	50-1600	-	-	-	-	-
Slit Width Tolerance	mm	-0 / + 0.2	-0 / + 0.2	-0 / + 0.2	-	-	-	-	-
Max. Coil Weight	MT	20	35	22	-	-	-	-	-
Coil ID	mm	508	508, 610	508, 610	-	-	-	-	-
Coil OD	mm	900 – 1800	800 – 2200	800 – 2200	-	-	-	-	-
Burr Tolerance	mm	0.02 max	0.02 max	0.02 max	-	-	-	-	-
Telescopicity	mm	+ / - 2mm max, first 3-5 wraps excluded			-	-	-	-	-
Camber	mm	0.5max on 2438mm length			-	-	-	-	-
Output Sheet Length	mm	-	-	-	500-6000	500 – 6000	500-6000	100 – 3000	1000 - 5000
Sheet Length Tolerance	mm	-	-	-	- 0 / + 1.5	- 0 / + 1.0	- 0 / + 1.0	- 0 / + 2	-
Diagonal Tolerance	mm	-	-	-	- / + 1.0	- / + 1.0	- / + 1.0	- / + 1.0	-
Flatness	mm	-	-	-	1/8th of input material flatness for 2500mm sheet length			-	-
Sheet Stack Weight	MT	-	-	-	3 max	3 max	5 max	-	-
Output Surface Finish		-	-	-	-	-	-	-	Polished (Scotch Brite)

A. Finish No. 4 Line		ANTIFINGER COATING		EMBOSSING	
		DESCRIPTION		DESCRIPTION	
1. Type	Dry	Stainless Steel Cold Rolled Annealed & Pickled 200, 300 and 400 Series.	Material	Material	Steel Cold Rolled Annealed & Pickled 200, 300 and 400 Series.
2. Sheet Thickness	0.5 - 3.0 mm				
3. Maximum Width	1550 mm				
4. Minimum Width	550 mm				
5. Maximum length	6000 mm				
6. Grit Sizes	100, 120, 180, 240. 320				
7. Input Material	2B				
8. No. ofBelts	2 Nos.				
B. Mirror Polishing Line (No.8)		Finish	2B	Finish	2B
1. Type	Wet	Tensile Strength	450 - 950 N/mm2	Tensile Strength	450 - 950 N/mm2
2. Input Material	2B	Sheet Thickness	0.3 - 3.00 mm	Sheet Thickness	0.5 - 2.00 mm
3. No. of Grinding heads	56	Maximum Sheet Width	1270 mm	Maximum Sheet Width	1550 mm
4. Sheet Thickness	0.5 - 3.0 mm	Minimum Sheet length	400 mm	Minimum Sheet length	550 mm
5. Maximum Width	1250 mm	Maximum Sheet length	3000MM	Maximum Sheet length	4000 mm
6. Minimum Width	550 mm	Feeding speed	2 - 6 M/min	Embossing Roll hardness	HRC 55 - 58
7. Maximum length	6000 mm	Coating Material	Acrylic Acid	Embossing Roll Material	9Cr2Mov
8. Polishing Media	Aluminium Oxide + Nitric Acid	Coating Thickness	0.005 - 0.015 mm	Embossing Roll Diameter	400 mm

Products



Quality Policy

Integrated Management Policy

(Quality, Environment, Health & Safety)

We are committed to create a world class Stainless Steel Service Center to effectively service the Market and promote usage of Stainless Steel through extended reach in the market.

We shall implement an Integrated Management System and comply with its requirements. We strive for total satisfaction of Customers, Employees, Stake Holders and Interested Parties through continual improvement of our processes.

Products

Type of Stainless Steel Offered

Cold Rolled (CR)

Mother & Slit Coils / Sheets / Cut Blanks

Hot Rolled (HR)

HR Plates/ Coils

Grades Offered at JSSL

200 Series	300 Series	400 Series
201, 202, 204Cu, Jsl AUS(J1), J4, Jsl Tube, Jsl U, JT	301, 301L, 304, 304H, 304L, 309S, 310, 316L, 316Ti, 321	410, 420, 409L, 410S, 430, 436L, 439, 441

Thickness Ranges Available

Stainless Steel (CR & HR)		
	Thickness (mm)	
	Min	Max
HRAP Coils	2.50	6.00
HRAP Plates	4.00	50.0
CRAP Coils	0.40	4.00

Width Ranges Available

- Standard Width available are 1000 mm, 1250 mm, 1270 mm
- Any other customized width in CR ranges from 50 mm to 1250 mm

Length Ranges Available


- Standard length available are - 2500 mm, 5000 mm, and 6000 mm
- Any other customized Length in CR ranges from 500 mm to 6000 mm

Surface Finishes Offered

Stainless Steel -Finishes	
Surface Finish	Definition
No. 1	Hot rolled annealed, shot blasted and pickled
2B	Cold rolled annealed and pickled and skin passed; given an appropriate luster by again cold rolling.
BA	Bright annealed finish; processed with bright heat treatment after cold rolling.
No. 3	Cold rolled annealed and pickled and polished with 100 to 120 grit.
No. 4	Cold rolled annealed and pickled and polished with 150 to 180 grit.
Scotch Brite	Very fine hairline finish generated by polishing with rolls made out of scotch brite material.
Embossing	Cold rolled annealed and pickled and given an appropriate embossed luster by embossing process.
Antifinger	Cold rolled annealed and pickled and coated with acrylic acid & antifinger print.
No.8	Cold rolled annealed and pickled and polished to mirror finish.



Our Presence



-  Marketing Offices
-  Service Centers
-  Warehouses

Contact Details :

Gurgaon

Office : Plot No. 64, 2nd Floor, Udyog Vihar, Phase-4, Gurgaon-122016
Works : VPO- Pathredi, Bilaspur Tauru Road, Gurgaon - 122413
Phone No : +91 124 4127700
Fax : +91 124 4127729
Email : info.gurgaon@jindalsteelway.com

Mumbai

Office : Shop No. 22, 23 & 24, Ground Floor, Seawood Herritage, Plot No. 50, Sector 4, Kharghar, Navi Mumbai - 410210
Works : Plot No. N-13, Addl. Patalganga Ind Area, Tal - Khalapur, Dist- Raigad (Maharashtra)
Phone No : +91 22-27744285
Fax : +91 -22-27744287
Email : info.mumbai@jindalsteelway.com

Chennai

Office : 64/1, W Block, 3rd Street, Anna Nagar, Chennai, Tamil Nadu 600040.
Works : Survey No. 2 of No. 19, Chinna Puliyar Village, Gummidipoondi Taluk, Dist. Thiruvallur, Chennai - 601201
Phone No : +91 44 26221497
Fax : +91 44 26221497
Email : info.chennai@jindalsteelway.com

Kolkata

Office : 3A, Duckback House, 41 Shakespeare Sarani, Kolkata - 700017
Warehouse : 63, G.T Road, Liluah Howrah - 711204 (W. Bengal)
Phone No : +91 -33-40021315
Fax : +91 -33-22906203
Email : p.kundu@jindalsteelway.com prithwish.jssl@gmail.com

Hyderabad

Office : # T 302-B, 1-10-74/B, Technopolis Galada Complex, Begumpet, Hyderabad - 500016
Phone No : +91-40-42030195
Email : info.hyderabad@jindalsteelway.com

Vadodara

Office : A-20, Akruti Duplex, Near Avsar Party Plot, Sama Savali Road, Vadodara 390008
Works : 629/B, GIDC Ind. Area, Manjusar, Tal Savali, Vadodara, Gujarat 391775
Phone No : +91 265 2710537
Fax : +91 265 2710537
Email : info.vadodara@jindalsteelway.com

Bengaluru

Office : Kshitij Carnations, BG 002, 'B' Block, Ground Floor, #27, 4th Cross, Hanumagiri Layout, Chikkakallasandra, Bengaluru -560061
Phone No : +91 -80-26395773
Email : info.bengaluru@jindalsteelway.com

Pune

Office : Office No. 7, Second Floor, Trade field Building, Opp to Sony world, Aundh - 411007
Phone No : +91 -20-40059438,
Fax No : +91 -20-40059438,
Email : info.pune@jindalsteelway.com